

☐ Accepted

☐ Disapproved

Massachusetts Department of Environmental Protection - Drinking Water Program 3CLRTE

Chlorite Distribution (3-Sample Set) Report

I. PWS INFORMATION: Please refer to your DEP Water Quality Sampling Schedule (WQSS) to help complete this form								
PW	S ID #:	City / Town:						
PWS Name:					PWS Clas	s: COM	□ NTNC □ TNC □	
DEP LOCATION (LOC) ID#		DEP Location Name			Date Collected		Collected By	
Α								
В								
С								
	Routine or				If Resubmitted Report, list below:			
	Special Sample			(1) Reason for R	(1) Reason for Resubmission		ollection Date of Original Sample	
Α	□RS □SS	☐ Original ☐ Resubmitted ☐ Confirmation		☐ Resample ☐ Reanalysis ☐ Report Correction				
В	□RS □SS	☐ Original ☐ Resubmitted ☐ Confirmation		on Resample Reanalys	☐ Resample ☐ Reanalysis ☐ Report Correction			
С	□RS □SS	☐ Original ☐ Resubmitted ☐ Confirmation ☐ Re		on Resample Reanalys	esample Reanalysis Report Correction			
	SAMPLE NOTES	AMPLE NOTES						
Α								
В								
С								
II. ANALYTICAL LABORATORY INFORMATION:								
Primary Lab MA Cert. #: Subcontracted? (Y/N)								
Analysis Lab MA Cert. #: Analysis Lab Name:								
	CHLORITE Result (mg/L)	MCL (mg/L)	MDL (mg/L)	Lab Method	Date An	alyzed	Lab Sample ID#	
Α		1.0*						
В		1.0*						
С		1.0*						
* The Chlorite MCL is violated if the average of any three-sample sets exceed 1.0 mg/L.								
	LAB SAMPLE NOTES							
Α								
В								
С								
I certify under penalties of law that I am the person authorized to fill out this form and the information contained herein is true, accurate and complete to the best extent of my knowledge. Primary Lab Director Signature: Date:								
If not submitting these results electronically, mail <u>TWO</u> copies of this report to your DEP Regional Office no later than 10 days after the end of the month in which you received this report <u>or</u> no later than 10 days after the end of the reporting period, whichever is sooner.								
DEP REVIEW STATUS (Initial & Date) Review WQTS Data								
	Accepted	`	approved	Comments			Entered	